```
L4          4635 (TWIST### OR TURN###) (5A) TAPE#

=> s 156/clas
L5          70452 156/CLAS

=> s l4 and l5
L6           407 L4 AND L5

=> select
ENTER ANSWER SET L# OR (L6):
ENTER ANSWER SET L# OR (L6):.
ENTER ANSWER NUMBER OR RANGE (1):1-10
ENTER DISPLAY CODE (TI) OR ?:ccls
E1 THROUGH E48 ASSIGNED

=> d select
E1          1          118/679/CCLS
E2          1          156/131/CCLS
E3          1          156/136/CCLS
E4          1          156/169/CCLS
E5          1          156/170/CCLS
E6          1          156/173/CCLS
E7          1          156/174/CCLS
E8          1          156/175/CCLS
E9          1          156/184/CCLS
E10         1          156/185/CCLS
E11         1          156/191/CCLS
E12         1          156/193/CCLS
E13         1          156/244.21/CCLS
E14         1          156/277/CCLS
E15         1          156/344/CCLS
E16         1          156/356/CCLS
E17         1          156/357/CCLS
E18         1          156/392/CCLS
E19         1          156/425/CCLS
E20         1          156/428/CCLS
E21         1          156/505/CCLS
E22         1          156/526/CCLS
E23         1          156/547/CCLS
E24         1          156/56/CCLS
E25         1          156/575/CCLS
E26         1          156/578/CCLS
E27         1          156/580.2/CCLS
E28         1          156/584/CCLS
E29         1          156/62.2/CCLS
E30         1          156/62.6/CCLS
E31         1          174/120R/CCLS
E32         1          228/179.1/CCLS
E33         1          228/180.21/CCLS
E34         1          228/212/CCLS
E35         1          228/44.7/CCLS
E36         1          228/6.2/CCLS
E37         1          242/56R/CCLS
E38         1          242/562/CCLS
E39         1          242/7.19/CCLS
E40         1          336/206/CCLS
```

```
E41              1        400/207/CCLS
E42              1        400/61 Best Available Copy
E43              1        400/613/CCLS
E44              1        400/615.2/CCLS
E45              1        400/88/CCLS
E46              1        427/117/CCLS
E47              1        427/178/CCLS
E48              1        428/377/CCLS
```

=> d cit 1-10

1. 5,335,842, Aug. 9, 1994, Self-aligning single point bonding tool;
Shahram Mostafazadeh, 228/179.1;   156/580.2 ; 228/6.2, 44.7, 180.21,
212 [IMAGE AVAILABLE]

2. 5,328,114, Jul. 12, 1994, Device for removing adhesive tape from a
reel of strip material; Fulvio Boldrini, et al., 242/562;   156/344 ,
584   [IMAGE AVAILABLE]

3. 5,316,789, May 31, 1994, Method of water-proofing a connected portion
of electric wires; Yasuyuki Ookuma, et al., 427/117;   156/185 ; 427/178
[IMAGE AVAILABLE]

4. 5,314,565, May 24, 1994, Portable splice taping machine; Marshall N.
Moore,   156/392 ,   425 ,   428 ; 242/7.19 [IMAGE AVAILABLE]

5. 5,305,964, Apr. 26, 1994, Cassette tape loading device having
pivotable adhesive tape applicator and method of use; Koichi Sota,
242/56R;   156/505   [IMAGE AVAILABLE]

6. 5,296,061, Mar. 22, 1994, Process for producing a tubular nonwoven
fabric and tubular nonwoven fabric produced by the same; Katsutoshi Ando,
et al.,   156/62.2 ,   62.6 ,   169 ,   170 ,   173 ,   174 ,
 175 ,   184 ,   191 ,   193 ,   244.21   [IMAGE AVAILABLE]

7. 5,295,753, Mar. 22, 1994, Label tape printing system using thermal
head and transfer ink ribbon; Hiroki Godo, et al., 400/612;   156/277 ;
400/88, 207, 613, 615.2 [IMAGE AVAILABLE]

8. 5,294,275, Mar. 15, 1994, Method of attaching a bead filler to a bead
core; Katsuhide Kawaguchi, et al.,   156/136 ,   131   [IMAGE AVAILABLE]

9. 5,293,146, Mar. 8, 1994, Electric coil device for use as a
transformer or the like; Yoshiki Aosaki, et al., 336/206;   156/56 ;
174/120R; 428/377 [IMAGE AVAILABLE]

10. 5,279,700, Jan. 18, 1994, Automated wallboard taping apparatus and
process therefor; Kahrl L. Retti,   156/578 ; 118/679;   156/356 ,
 357 ,   526 ,   547 ,   575   [IMAGE AVAILABLE]

=> d ti 1, 5, 12, 14, 18

US PAT NO: 4,848,066 [IMAGE AVAILABLE]   L2: 1 of 18
TITLE: Method and apparatus for assembling blister packages

US PAT NO: 4,588,469 [IMAGE AVAILABLE]   L2: 5 of 18
TITLE: Masking paper and tape dispenser

US PAT NO: 4,138,308 [IMAGE AVAILABLE]   L2: 12 of 18
TITLE: Heat wand for splicing twisted thermoplastic tapes

US PAT NO: 4,034,927 [IMAGE AVAILABLE]   L2: 14 of 18
TITLE: Continuous loop tape cartridge

US PAT NO: 3,668,037 [IMAGE AVAILABLE]   L2: 18 of 18
TITLE: METHOD FOR MAKING TABLETS

```
=> d hist
        (FILE 'HOME' ENTERED AT 10:17:03 ON 01 SEP 94)

        FILE 'USPAT' ENTERED AT 10:20:00 ON 01 SEP 94
L1              18 S (TAPE (5A) TWIST) AND TAPE AND 156/CLAS
L2              18 S (TAPE (5A) TWIST) AND 156/CLAS

=>
Session canceled by user request.
æYQ1 L"Jë┐é
NO CARRIER
```

d hist

(FILE 'HOME' ENTERED AT 10:45:08 ON 01 SEP 94)

FILE 'USPAT' ENTERED AT 10:45:23 ON 01 SEP 94
L1   5 S (((90 DEGREE) (5A) (TWIST OR TURN)) (10A) TAPE) AND 156/
CLA